



Limberlost Stone Steps are made to the building code, available in a variety of texture, colour, and finishes. Builders, architects and designers use Limberlost Stone to bring out natural beauty in building structures. Our consistent and dependable manufacturing processes ensure consistent quality and availability.



Limberlost Stone produces the highest quality and variety of natural landscape and building stone sought after by builders, architects and designers.

We are natural stone specialists focused on the consistent production of beautiful quality stone, used to build inviting and functional residential and commercial spaces that last.



Limberlost Natural Brown or Black Pebbletop Steps

Thickness	Dimensions	Finishes
6"	48-60", 72-84", 96"	Natural
7.75"	48-60", 72-84", 96"	Natural



Limberlost Brown Steps

Thickness	Dimensions	Finishes
6"	48-60", 72-84", 96"	Sandblasted or Flamed
7.75"	48-60", 72-84", 96"	Sandblasted or Flamed



Limberlost Grey Steps

Thickness	Dimensions	Finishes
6"	48-60", 72-84", 96"	Sandblasted or Flamed
7.75"	48-60", 72-84", 96"	Sandblasted or Flamed



Limberlost Eramosa Steps

Thickness	Dimensions	Finishes
7.75"	48-60", 72-84", 96"	Flamed



Limberlost Brown Finished Step Slabs

Thickness	Dimensions	Finishes
6"	48-96"	Sandblasted
7.75"	48-96"	Sandblasted



Limberlost Grey Finished Step Slabs

Thickness	Dimensions	Finishes
6"	48-96"	Flamed
7.75"	48-96"	Flamed



Tolerances

Stone is cut within 1/8th of an inch tolerance. The nature of the stone is such that not all products can be manufactured to meet such a tolerance. Broken edge faces are are not manufactured within the tolerance 100 % of the time.